

US Serial No. 10/789075
Page 2 of 13

In the Claims:

1. (currently amended) A sprayable hard surface cleaning and/or disinfecting composition which comprises:
 - a thickener constituent which comprises both gellan gum and xanthan gum;
 - at least one anionic surfactant;
 - at least one nonionic surfactant;
 - an acid constituent;
 - suspended inclusions which appear as visibly discernible, discrete particulate materials;
 - optionally, at least one further deterative surfactant selected from amphoteric and zwitterionic surfactants;
 - optionally, but desirably at least one organic solvent;
 - optionally, one or more constituents for improving the aesthetic or functional features of the inventive compositions; and;
 - water.
2. (original) A composition according to claim 1 wherein the suspended inclusions are two or more classes of visibly discernible, discrete particulate materials.
3. (original) A composition according to claim 1 wherein the suspended inclusions are three or more classes of visibly discernible, discrete particulate materials.
4. (original) A composition according to claim 1 wherein the compositions contain an acid constituent.
5. (original) The composition according to claim 4 wherein the acid constituent contains an acid selected from the group consisting of: citric acid, sorbic acid, acetic acid, boric acid, formic acid, maleic acid, adipic acid, lactic acid, malic acid, malonic acid, glycolic acid, and mixtures thereof.

US Serial No. 10/789075

Page 3 of 13

6. (original) A composition according to claim 5 wherein the acid constituent comprises citric acid.
7. (original) A composition according to claim 1 wherein the composition comprises an organic solvent.
8. (original) A composition according to claim 7 wherein the organic solvent is selected from alcohols, glycols, water miscible ethers, water miscible glycol ethers, monoalkylether esters, and mixtures thereof.
9. (original) A composition according to claim 8 wherein the organic solvent is selected from alcohols, water miscible glycol ethers and mixtures thereof.
10. (original) A composition according to claim 1 wherein the compositions exclude added organic solvents.
11. (canceled)
12. (canceled)
13. (original) A composition according to claim 1 wherein the majority of the inclusions do not drop more than 7% of their original distance as measured from the bottom of the container in which the inventive composition is present when they have returned to a quiescent state following manual shaking.
14. (original) The composition according to claim 13 wherein the majority of the inclusions do not drop more than 7% of their original distance as measured from the bottom of the container in which the inventive composition is present when

US Serial No. 10/789075
Page 4 of 13

they have returned to a quiescent state following manual shaking when measured after 72 hours when left in a quiescent state at room temperature.

15. (original) The composition according to claim 14 wherein the majority of the inclusions do not drop more than 7% of their original distance as measured from the bottom of the container in which the inventive composition is present when they have returned to a quiescent state following manual shaking when measured after 5 days when left in a quiescent state at room temperature.

16. (original) The composition according to claim 15 wherein the majority of the inclusions do not drop more than 7% of their original distance as measured from the bottom of the container in which the inventive composition is present when they have returned to a quiescent state following manual shaking when measured after 10 days when left in a quiescent state at room temperature.

17. (original) The composition according to claim 16 wherein the majority of the inclusions do not drop more than 7% of their original distance as measured from the bottom of the container in which the inventive composition is present when they have returned to a quiescent state following manual shaking when measured after 14 days when left in a quiescent state at room temperature.

18. (original) The composition according to claim 1 wherein the pH is less than about 6.

19. (original) The composition according to claim 18 wherein the pH is from about 2 to about 3.5.

20. (original) The composition according to claim 19 wherein the pH is from about 2.8 to about 3.3.

US Serial No. 10/789075

Page 5 of 13

21. (original) The composition according to claim 1 wherein the anionic surfactant is an alkane sulfonate.
22. (original) The composition according to claim 1 wherein the anionic surfactant is a secondary sodium alkane sulfonate.
23. (original) The composition according to claim 1 wherein the nonionic surfactant is a nonionic block copolymer based on a polymeric ethoxy/propoxy units.
24. (original) The composition according to claim 1 wherein said composition exhibits antimicrobial efficacy against at least one of the following organisms:
Staphylococcus aureus (gram positive type pathogenic bacteria) (ATCC 6538),
Salmonella choleraesuis (gram negative type pathogenic bacteria) (ATCC 10708), *Escheria coli* (gram negative type pathogenic bacteria) (ATCC 11229) and *Pseudomonas aeruginosa* (ATCC 15442) according to the AOAC Use-Dilution Test Method.
25. (original) A method of treating a hard surface comprising applying an effective amount of a composition according to claim 1 to a surface in need of treatment.